



राष्ट्रीय मात्स्यिकी विकास बोर्ड National Fisheries Development Board

मत्स्यपालन विभाग/Department of Fisheries

मत्स्यपालन, पशुपालन और डेयरी मंत्रालय /Ministry of Fisheries, Animal Husbandry & Dairying

भारत सरकार /Government of India

स्तम्भ संख्या-235, पी.वी.एन.आर एक्सप्रेस वे, डाक-एस.वी.पी.एन.पी.ए. हैदराबाद -500052

Pillar No: 235, PVNR Expressway, SVPNPA Post, Hyderabad-500 052

फ़ोन /Phone No. 040- 24000201; फैक्स /Fax No: 040-2401 5568; मेल/ Mail: info.nfdb@nic.in



EMPANELLED EQUIPMENT MANUFACTURER / SUPPLIER IN FISHERIES AND AQUACULTURE UNDER PMMSY

I. Basic Details of the firm:

| | | | |
|---------------------------------------|---------------------|-----------------------------|--|
| Name of the Manufacturer/ Supplier | Somnath Enterprise | Address of the firm | Jalaram Nagar, Aashray Rajivnagar, Dharampur, Opp Community Hall Street, Porbandar-360575, Gujarat |
| Name of the authorised Representative | Keshav K. Odedra | Website | No website details available |
| Type of firm | Proprietorship firm | Number of years in business | 9 Years |
| Operational Area | Gujarat | Email Id | keshuodedra9@gmail.com |
| Mobile No | 9427387873 | | |

II. Items Empanelled:

| Sl No | Category Name | Item Name | Equipment/ Machinery Name | Details of specifications |
|-------|--|--|--------------------------------|---|
| 1 | Aquaculture | Aerator /Paddle Wheel Aerator | Aerator /Paddle Wheel Aerator | IE Class -2 ISI mark Motor With CED Coating and F Class Insulation Bevel - Helical Type Gear Box With CED Coating Stainless Steel - 304 with High Quality Rubber Virgin HDPE with UV Virgin Plastic with UV Virgin HDPE with UV Stainless Steel -304 L Sleeve with inside Solid Iron Road Stainless Steel -304 L Angle Virgin Plastic with UV Stainless Steel -304 Synthetic Gear Box Oil |
| 2 | Aquaculture | HDPE Cage /GI Cage /Pontoon Cage - Frame | Pontoon Cage -Frame | Size : L x B x H: 6m x 4m x4m Shape : Square/ Rectangular frame : Outer Dimensions : 7m x5m.+/- 10 cm Depth : 4m +/- 5cm |
| 3 | Aquaculture | Cage Net | Cage Net | Inner - Netting Fry to Fingerling Stage: 6x4x5 mtrs (LxWxD), 250D/12ply/15 mm full mesh Inner- Netting Advance Fingerling to Grow out : 6x4x4 mtrs (LxWxD), 250D/30ply/30 mm full mesh. Predators nettings shall cover entire set of cages. Each predator net will have the specification of 13x 10x6 mtrs. HDPE Twine 380/D27 ply /50 mm full mesh. |
| 4 | Any other category which is not listed | Any other related item | Live Fresh Water Pangasius spp | Live Fresh Water Pangasius spp. Seed of Size 20mm to 30mm with packing including tins polythene bag. |

| Sl No | Category Name | Item Name | Equipment/ Machinery Name | Details of specifications |
|-------|--|--|--------------------------------------|---|
| | above but applicable under PMMSY components | | | |
| 5 | Any other category which is not listed above but applicable under PMMSY components | Any other related item | Specification for Pangasius Sp. Feed | Specification for Pangasius Sp. Feed for Fry, Grow Out Protein(%) 30 to 35 25 to 30 Fat(%) 3 to 5 25 to 30 Fiber Max. (%) Up to 5 Up to 5 Moisture Max (%) Up to 10 Up to 10 Pellet size (in mm) 0.5 to 2.0 3 to 4 |
| 6 | Motorcycle /cycle /3-Wheeler/E rickshaws with Ice Box | Ice Box | Ice Box | 100,220& 460 Ltrs |
| 7 | Marine fisheries | Fish Finder | Fish Finder | Garmin GPS 585 -Crisp 5- inch WQVGA colour display ,480 (H)x272 (V) pixels Built - in sonar module for up to 500 watts power (for GPSMAP 585) - with optional transducer, Capable of reaching depths to 1500 feet - 6000 waypoints with names, symbol and comments: with up to 150 routes - Automatic 50000 point track log saves up to 50 tracks - Compatible with GARMIN Blue Chart g2 cards for rich detailed charts - Accepts NMEA input / Output - Meets rigid IEC 60529 IPX7 submersible standard |
| 8 | Marine fisheries | Drifting Buoys | Drifting Buoys | As per Safety of Life at sea (SOLAS) Standards (Indian Register of shipping (IRS) Approved) |
| 9 | Marine fisheries | Emergency rowing equipment ,Life Jackets | Life Jackets | As per Safety of Life at sea (SOLAS) Standards (Indian Register of shipping (IRS) Approved) |
| 10 | Any other category which is not listed above but applicable under PMMSY components | Fibre wire Ropes | Fibre wire Ropes | Diometer:12mm to 17 mm Construction :6x19 SCF performed Tensile/ Grade:1770n/sq.mtr Coat: Galvanized Type of Core/Lay Direction : Poly Propylene |

Disclaimer:

- Empanelment of Manufacturers/Supplier Firms by NFDB is for done for various stakeholders such as Fishers/Fish Farmers/ Societies/Federations/ Enterprise firms / State Departments etc. for manufacturing and supply of Equipment/Machinery related to Fisheries & Aquaculture sector.
- NFDB shall not assure of providing contracts/works to the empanelled firms either directly by NFDB or from clients/Users.
- NFDB website is a portal having information of empanelled manufacturers/ suppliers. The complete accuracy and integrity of data submitted in respect of the seller and also in respect

of goods offered and compliance with the applicable laws is sole responsibility of the seller.

- Empanelled manufacturers/suppliers would be solely and absolutely responsible for the information provided about their organization, business, products, materials and prices on the portal.
- It is not mandatory that the user shall avail only the listed manufacturers/ suppliers.
- NFDB is not responsible for any financial transactions/delay in financial settlements between manufacturers/suppliers & users/ clients.
- NFDB shall not guarantee for quality of the equipment/ machinery supplied by the empanelled firms to the users/clients.
- All disputes in connection with the contract between empanelled equipment manufacturer/supplier and buyer shall be subject to the exclusive jurisdiction of the court within the local limits of the jurisdiction where the contract was executed. NFDB would not be a party to any such dispute matter.